WEST Search History



DATE: Monday, January 29, 2007

Hide?	Set Name	Query	Hit Count
	DB=PGPI	B, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YB	ES; OP=OR
	L1	(uall1 or ua-1111 or 1111) same helicobacter	14
	L2	(uall1 or ua-1111 or 1111) same pylori	14
	L3	L2 or l1	1,5
	L4	(bezila and johnson and taylor).in.	3
	DB = EPAE	B,JPAB,DWPI; PLUR=YES; OP=OR	
	L5	2004009793	7

END OF SEARCH HISTORY

☐ 1. <u>20050164338</u> . 22 Jan 04. 28 Jul 05. H. pylori fucosyltransferases. Simala-Grant, Joanne 435/68.1; 435/193 435/320.1 435/325 530/395 C12P021/06 C12N009/10.	, et al.
☐ 2. <u>US20050164338A</u> . New isolated fucosyltransferase polynucleotides and polypeptides, for synthesizing oligosaccharides, glycoproteins, or glycolipids. <u>BEZILA</u> , D J, et al. C07H000/0 C12N009/10 C12P021/06.	
3. WO2004009793A. Producing fucosylated glycoprotein, by contacting recombinant fucosyltransferase protein with mixture comprising donor substrate and acceptor substrate on glycoprotein. BEZILA, D J, et al. A23J001/00 C12N000/00 C12N009/00 C12N009/10 C12N009/10 C12P001/00 C12P019/18 C12P021/02 C12P021/06 C12O001/00 C12O001/48.	9/12

1. 20060099688. 22 Dec 05. 11 May 06. UDP-galactose: beta-D-galactose-R4-alpha-Dgalactosyltransferase, alpha4Gal-T1. Clausen; Henrik, et al. 435/69.1; 435/101 435/193 435/320.1 435/325 536/123 536/23.2 C07H21/04 20060101 C12N9/10 20060101 C12P19/04 20060101 C12P21/06 20060101 2. 20050164338. 22 Jan 04. 28 Jul 05. H. pylori fucosyltransferases. Simala-Grant, Joanne, et al. 435/68.1; 435/193 435/320.1 435/325 530/395 C12P021/06 C12N009/10. 3. 20050106597. 31 Aug 04. 19 May 05. Staphylococcus aureus polynucleotides and polypeptides. Choi, Gil H., 435/6; 435/252.3 435/471 435/69.3 530/350 536/23.7 C12Q001/68 C07H021/04 C12P021/04 C12N001/21 C07K014/31 C12N015/74. 4. 20040082002. 14 Nov 03. 29 Apr 04. 37 staphylococcus aureus genes and polypeptides. Choi, Gil H., 435/6; 435/252.3 435/320.1 435/69.1 530/350 536/23.7 C07K014/31 C12Q001/68 C07H021/04 C12N001/21. 5. 20040052799. 30 Dec 02. 18 Mar 04. Nucleic acid and amino acid sequences relating to Helicobacter pylori for diagnostics and therapeutics. Smith, Douglas, et al. 424/184.1; A61K039/00 A61K039/38. 6. 20030049648. 28 Feb 02. 13 Mar 03. 37 staphylococcus aureus genes and polypeptides. Choi, Gil H.. 435/6; 435/220 435/252.3 435/320.1 435/69.1 435/7.32 536/23.7 C12Q001/68 G01N033/554 G01N033/569 C07H021/04 C12N009/52 C12P021/02 C12N001/21 C12N015/74. 7. 20030017495. 29 Jul 02. 23 Jan 03. Enterococcus faecalis polynucleotides and polypeptides. Choi, Gil H., et al. 435/6; 435/183 435/252.3 435/320.1 435/69.3 536/23.7 C12Q001/68 C07H021/04 C12P021/02 C12N001/21 C12N015/74 C12N009/00. 8. 20020115078. 18 Jun 01. 22 Aug 02. Identification of polynucleotides encoding novel helicobacter polypeptides in the helicobacter genome. Kleanthous, Harold, et al. 435/6; 424/164.1 424/190.1 435/320.1 514/44 536/23.7 C12Q001/68 C07H021/04 A61K039/40 A61K039/02 A61K048/00 C12N015/74. 9. 20020103338. 10 Aug 01. 01 Aug 02. Staphylococcus aureus polynucleotides and polypeptides. Choi, Gil H.: 530/350; 435/252.3 435/320.1 435/325 435/69.1 536/23.7 C07K014/315 C07H021/04 C12P021/02 C12N005/06 C12N001/21. 10. 7115404. 09 Aug 02; 03 Oct 06. UDP-galactose: .beta.-D-galactose-R 4-.alpha.-D-galactosyltransferase, .alpha.4Gal-T1. Clausen; Henrik, et al. 435/193; 424/94.1 435/183 435/252.3 435/320.1 435/4 435/6 435/69.1 536/23.2. C07H21/04 20060101 C12N9/00 20060101 C12N9/10 20060101 C12P21/06 20060101. 11. 7060458. 29 Nov 99; 13 Jun 06. Nucleic acid and amino acid sequences relating to Staphylococcus epidermidis for diagnostics and therapeutics. Doucette-Stamm; Lynn, et al. 435/69.1; 435/252.3 435/320.1 435/325 536/23.7 536/24.32. C07H21/04 20060101. 12. 7041814. 18 Feb 99; 09 May 06. Nucleic acid and amino acid sequences relating to Enterobacter cloacae for diagnostics and therapeutics. Weinstock; Keith G., et al. 536/24.1; 435/252.3 435/320.1 435/325 435/4 435/6 435/69.1 435/69.6 536/23.1 536/23.2 536/23.5 536/23.7. C12Q1/68 20060101 C12Q1/70 20060101 C07H21/04 20060101.

☐ 13. <u>6833253</u> . 10 Aug 01; 21 Dec 04. Staphylococcus aureus polynucleotides and polypeptides. Choi; Gil H 435/69.1; 435/252.3 435/320.1 435/6 536/23.1 536/23.4 536/23.7. C12P021/06.
☐ 14. <u>5801013</u> . 26 May 95; 01 Sep 98. Helicobacter aminoacyl-tRNA synthetase proteins, nucleic acids and strains comprising same. Tao; Jianshi, et al. 435/69.1; 435/252.3 435/254.2 435/320.1 435/69.7 530/350 536/23.2 536/23.4 536/24.32. C12N015/00 C12N015/63 C07K014/195 C07H021/04
15. WO 9843478A. New isolated Helicobacter polynucleotides - used to develop products for the diagnosis, prevention and treatment of Helicobacter infections and gastrointestinal diseases. ALGARAWI, A, et al. A01N043/04 A61K031/70 A61K031/7088 A61K035/76 A61K038/00 A61K039/106 A61K039/40 A61K045/00 A61K048/00 A61P001/04 A61P031/04 C07K014/205 C07K016/12 C12N015/09 C12P021/02.

Generate Collection Print

Term	Documents
(1 OR 2).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	15
(L2 OR L1).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	15

Prev Page Next Page

Search in UniProtKB/TrEMBL: There are matches to 20 out of 3633676 entries

O25142 HELPY

Fucosyltransferase {GENE:OrderedLocusNames=HP_0379} - Helicobacter pylori (Campylobacter pylori)

025366 HELPY

Fucosyltransferase {GENE:OrderedLocusNames=HP_0651} - Helicobacter pylori (Campylobacter pylori)

030511 HELPY

Alpha1,3-fucosyltransferase {GENE:Name=fucT} - Helicobacter pylori (Campylobacter pylori)

032631 HELPY

Alpha-(1,3)-fucosyltransferase (EC 2.4.1.-) {GENE:Name=fucT} - Helicobacter pylori (Campylobacter pylori)

Q1CSJ2 HELPH

Alpha 1,3-fucosyltransferase (EC 2.4.1.214)

{GENE:OrderedLocusNames=HPAG1_1013} - Helicobacter pylori (strain HPAG1)

Q1CTL9 HELPH

Alpha 1,3-fucosyltransferase (EC 2.4.1:214)

{GENE:OrderedLocusNames=HPAG1 0636} - Helicobacter pylori (strain HPAG1)

Q1CV61 HELPH

Alpha-1,2-fucosyltransferase (EC 2.4.1.-)

{GENE:OrderedLocusNames=HPAG1_0094} - Helicobacter pylori (strain HPAG1)

Q6ST35_HELPY

Alpha-1,4 fucosyltransferase {GENE:Name=fucTIII} - Helicobacter pylori (Campylobacter pylori)

Q9L8S4 HELPY

Alpha-1,3/4-fucosyltransferase {GENE:Name=fucTa} - Helicobacter pylori (Campylobacter pylori)

Q9X3N7 HELPY

Alpha-1,2-fucosyltransferase {GENE:Name=fucT2} - Helicobacter pylori (Campylobacter pylori)

Q9X435 HELPY

Alpha-1,2-fucosyltransferase - Helicobacter pylori (Campylobacter pylori)

Q9X436 HELPY

Alpha-1,2-fucosyltransferase long form - Helicobacter pylori (Campylobacter pylori) Q9X437 HELPY

Alpha-1,2-fucosyltransferase short form - Helicobacter pylori (Campylobacter pylori) Q9X438 HELPY

Alpha-1,2-fucosyltransferase - Helicobacter pylori (Campylobacter pylori)

Q9X439_HELPY

Alpha-1,2-fucosyltransferase - Helicobacter pylori (Campylobacter pylori)

Q9X440 HELPY

Alpha-1,2-fucosyltransferase - Helicobacter pylori (Campylobacter pylori)

Q9X441_HELPY

Alpha-1,2-fucosyltransferase - Helicobacter pylori (Campylobacter pylori) Q9ZKD7 HELPJ

ALPHA-(1,3)-FUCOSYLTRANSFERASE {GENE:Name=fucU; OrderedLocusNames=jhp 1002} - Helicobacter pylori J99 (Campylobacter pylori J99)

Q9ZLI3 HELPJ

ALPHA (1,3)-FUCOSYLTRANSFERASE {GENE:Name=fucT; OrderedLocusNames=jhp 0596} - Helicobacter pylori J99 (Campylobacter pylori J99)

Q9ZMX9 HELPJ

Putative ALPHA(1,2)FUCOSYLTRANSFERASE {GENE:OrderedLocusNames=jhp 0086} - Helicobacter pylori J99 (Campylobacter pylori J99)

1. <u>JP02004009793A</u> . 04 Jun 02. 15 Jan 04. AXLE DRIVE. OKADA, HIDEAKI. B60K017/10; F16H039/08 F16H047/02.
☐ 2. <u>WO2004009793A2</u> . 23 Jul 03. 29 Jan 04. SYNTHESIS OF GLYCOPROTEINS USING BACTERIAL GYCOSYLTRANSFERASES. JOHNSON, KARL F, et al. C12N00/;.
3. EP 1522241A. Brewing equipment pod carrier has liquid flow path formed between first and second pod receiving cavities of different size formed on first and second opposite sides of frame. MEISTER, P C, et al. A47J031/00 A47J031/02 A47J031/06 A47J031/40 A47J031/44.
4. <u>DE2004009793U</u> . Biological reaction chamber for e.g. micro-arrays, microtitration plates and slides, includes permanent magnets in lid and walls. C12M001/16 C12M001/20 C12M001/34.
5. KR2004009793A. Motor having split type stator. CHOI, S G, et al. H02K001/14.
6. WO2004009793A. Producing fucosylated glycoprotein, by contacting recombinant fucosyltransferase protein with mixture comprising donor substrate and acceptor substrate on glycoprotein. BEZILA, D J, et al. A23J001/00 C12N000/00 C12N009/00 C12N009/10 C12N009/12 C12P001/00 C12P019/18 C12P021/02 C12P021/06 C12Q001/00 C12Q001/48.
7. <u>JP2004009793A</u> . Axle drive unit for e.g. self-driven vehicle, has hydraulic speed changer which hydraulic pump has one portion positioned at axle side from outer diameter of gearwheel inserted to axle. B60K017/10 F16H039/08 F16H047/02.

```
<!--StartFragment-->RESULT 1
AEB70145
ID
     AEB70145 standard; protein; 446 AA.
XX
AC
     AEB70145;
XX
DΤ
     06-OCT-2005 (first entry)
XX
DE
     Helicobacter pylori fucosyl transferase, FutB, protein, SEQ ID NO: 16.
XX
KW
     Fucosyltransferase; protein production; enzyme.
XX
os
     Helicobacter pylori; strain 1111.
XX
FH
     Key
                     Location/Qualifiers
FT
     Misc-difference 168
FT
                     /note= "Encoded by GC"
FT
     Misc-difference 355
FT
                     /note= "Encoded by AG"
FT
     Misc-difference 408
FT
                     /note= "Encoded by AG"
     Misc-difference 435
FT
FT
                     /note= "Encoded by AG"
XX
PN
     US2005164338-A1.
XX
PD
     28-JUL-2005.
XX
     22-JAN-2004; 2004US-00764212.
PF
XX
PR
     22-JAN-2004; 2004US-00764212.
XX
PΑ
     (NEOS-) NEOSE TECHNOLOGIES INC.
PΑ
     (UYAL-) UNIV ALBERTA.
XX
PΙ
     Simala-Grant J, Taylor D, Johnson KF,
                                             Bezila DJ;
XX
     WPI; 2005-521417/53.
DR
DR
     N-PSDB; AEB70144.
XX
PT
     New isolated fucosyltransferase polynucleotides and polypeptides, useful
PT
    for synthesizing oligosaccharides, glycoproteins, or glycolipids.
XX
PS
     Claim 1; SEQ ID NO 16; 97pp; English.
XX
CC
     The present invention provides alpha-1,3/4-fucosyltransferase (also
CC
     termed as fucosyltransferase) proteins and nucleic acids from various
CC
     strains of Helicobacter pylori. This enzyme catalyzes the transfer of a
CC
     fucose residue from a donor substrate to an acceptor substrate. The
CC
     fucosyltransferase polynucleotides and polypeptides are useful for the
CC
     synthesis of oligosaccharides, glycoproteins and glycolipids. The present
CC
     sequence is Helicobacter pylori fucosyltransferase protein.
XX
SQ
    Sequence 446 AA;
 Query Match
                         100.0%; Score 2388; DB 9;
                                                      Length 446;
 Best Local Similarity
                         100.0%; Pred. No. 3.6e-201;
 Matches 446; Conservative
                                0; Mismatches
                                                      Indels
                                                  0:
                                                                            0;
                                                                0;
                                                                    Gaps
Qу
           1 MFQPLLDAYVESASIEKMASKSPPPLKIAVANWWGDEEIKEFKKSVLYFIFSQRYTIALH 60
```

Db	1	${\tt MFQPLLDAYVESASIEKMASKSPPPLKIAVANWWGDEEIKEFKKSVLYFIFSQRYTIALH}$	60
Qу	61	QNPNEFSDLVFSNPLGSARKILSYQNAKRVFYTGENEVPNFNLFDYAIGFDELDFRDRYL	120
Db	61	.	120
Qу	121	RMPLYYDRLHHKAESVNDTTSPYKLKDNSLYTLKKPSHQFKENHPNLCAVVNDESDPLKR	180
Db	121		180
Qу	181	GVVSFVASNANAPMRNAFYDALNSIEPVTGGGSVKNTLGYNVKNKSEFLSQYKFNLCFEN	240
Db	181		240
Qу	241	SQGYGYVTEKILDAYFSHTIPIYWGSPSVAKDFNPKEFVNVHDFNNFDEAIDYIKYLHTH	300
Db	241		300
Qу	301	PNAYLDMLYENPLNALDGKAYFYQDLSFKKILAFFKTILENDTIYHKSSTSFMWECDLDE	360
Db	301		360
Qу	361	PLASIDDLRVNYDDLRVNYDDLRVNYDDLRVNYDDLRVNYDDLRVNYERLLQNASPLLEL	420
Db	361		420
Qу	421	SQNTSFKIYRKAYQKPIKNPYPYCAP 446	
Db	421		

```
<!--StartFragment-->RESULT 1
PCT-US05-01614-16
; Sequence 16, Application PC/TUS0501614
 GENERAL INFORMATION:
  APPLICANT: Taylor, Diane
  APPLICANT: Johnson, Karl F.
  APPLICANT: Bezila, Daniel James
  APPLICANT: Neose Technologies, Inc.
  APPLICANT: Governors of the University of Alberta
  TITLE OF INVENTION: H. pylori Fucosyltransferases
  FILE REFERENCE: 019957-019410PC
  CURRENT APPLICATION NUMBER: PCT/US05/01614
  CURRENT FILING DATE: 2005-01-21
  PRIOR APPLICATION NUMBER: US 10/764,212
  PRIOR FILING DATE: 2004-01-22
  NUMBER OF SEQ ID NOS: 179
  SOFTWARE: PatentIn Ver. 2.1
 SEQ ID NO 16
   LENGTH: 446
   TYPE: PRT
   ORGANISM: Helicobacter pylori
   OTHER INFORMATION: H. pylori strain 1111 FutB fucosyltransferase
PCT-US05-01614-16
 Query Match
                     100.0%; Score 2388; DB 1;
 Best Local Similarity 100.0%; Pred. No. 1e-221;
 Matches 446; Conservative
                           0; Mismatches
                                             Indels
                                                               0;
                                          0;
                                                        Gaps
Qу
          1 MFQPLLDAYVESASIEKMASKSPPPLKIAVANWWGDEEIKEFKKSVLYFIFSQRYTIALH 60
           1 MFQPLLDAYVESASIEKMASKSPPPLKIAVANWWGDEEIKEFKKSVLYFIFSQRYTIALH 60
Db
Qу
         61 QNPNEFSDLVFSNPLGSARKILSYQNAKRVFYTGENEVPNFNLFDYAIGFDELDFRDRYL 120
           Db
         61 QNPNEFSDLVFSNPLGSARKILSYQNAKRVFYTGENEVPNFNLFDYAIGFDELDFRDRYL 120
        121 RMPLYYDRLHHKAESVNDTTSPYKLKDNSLYTLKKPSHQFKENHPNLCAVVNDESDPLKR 180
Qу
           Db
        121 RMPLYYDRLHHKAESVNDTTSPYKLKDNSLYTLKKPSHQFKENHPNLCAVVNDESDPLKR 180
Qу
        181 GVVSFVASNANAPMRNAFYDALNSIEPVTGGGSVKNTLGYNVKNKSEFLSQYKFNLCFEN 240
           181 GVVSFVASNANAPMRNAFYDALNSIEPVTGGGSVKNTLGYNVKNKSEFLSQYKFNLCFEN 240
Db
        241 SQGYGYVTEKILDAYFSHTIPIYWGSPSVAKDFNPKEFVNVHDFNNFDEAIDYIKYLHTH 300
Qу
           Db
        241 SQGYGYVTEKILDAYFSHTIPIYWGSPSVAKDFNPKEFVNVHDFNNFDEAIDYIKYLHTH 300
Qу
        301 PNAYLDMLYENPLNALDGKAYFYQDLSFKKILAFFKTILENDTIYHKSSTSFMWECDLDE 360
           Db
        301 PNAYLDMLYENPLNALDGKAYFYQDLSFKKILAFFKTILENDTIYHKSSTSFMWECDLDE 360
        361 PLASIDDLRVNYDDLRVNYDDLRVNYDDLRVNYDDLRVNYDDLRVNYERLLQNASPLLEL 420
Qу
           Db
        361 PLASIDDLRVNYDDLRVNYDDLRVNYDDLRVNYDDLRVNYDDLRVNYERLLQNASPLLEL 420
Qy
        421 SQNTSFKIYRKAYQKPIKNPYPYCAP 446
           Db
        421 SQNTSFKIYRKAYQKPIKNPYPYCAP 446
```

```
RESULT 2
PCT-US05-01614A-16
; Sequence 16, Application PC/TUS0501614A
; GENERAL INFORMATION:
  APPLICANT: Taylor, Diane
  APPLICANT: Johnson, Karl F.
  APPLICANT: Bezila, Daniel James
  APPLICANT: Neose Technologies, Inc.
  APPLICANT: Governors of the University of Alberta
  TITLE OF INVENTION: H. pylori Fucosyltransferases
  FILE REFERENCE: 019957-019410PC
  CURRENT APPLICATION NUMBER: PCT/US05/01614A
  CURRENT FILING DATE: 2005-01-21
  PRIOR APPLICATION NUMBER: US 10/764,212
  PRIOR FILING DATE: 2004-01-22
  NUMBER OF SEQ ID NOS: 179
  SOFTWARE: PatentIn Ver. 2.1
 SEQ ID NO 16
   LENGTH: 446
   TYPE: PRT
   ORGANISM: Helicobacter pylori
   FEATURE:
   OTHER INFORMATION: H. pylori strain 1111 FutB fucosyltransferase
PCT-US05-01614A-16
 Query Match
                     100.0%;
                            Score 2388; DB 1;
                                             Length 446;
 Best Local Similarity
                     100.0%; Pred. No. 1e-221;
 Matches 446; Conservative
                           0; Mismatches
                                         0:
                                             Indels
                                                               0;
         1 MFQPLLDAYVESASIEKMASKSPPPLKIAVANWWGDEEIKEFKKSVLYFIFSQRYTIALH 60
Qу
           Db
         1 MFQPLLDAYVESASIEKMASKSPPPLKIAVANWWGDEEIKEFKKSVLYFIFSQRYTIALH 60
         61 QNPNEFSDLVFSNPLGSARKILSYQNAKRVFYTGENEVPNFNLFDYAIGFDELDFRDRYL 120
Qу
           61 QNPNEFSDLVFSNPLGSARKILSYQNAKRVFYTGENEVPNFNLFDYAIGFDELDFRDRYL 120
Db
        121 RMPLYYDRLHHKAESVNDTTSPYKLKDNSLYTLKKPSHQFKENHPNLCAVVNDESDPLKR 180
Qу
           Db
        121 RMPLYYDRLHHKAESVNDTTSPYKLKDNSLYTLKKPSHQFKENHPNLCAVVNDESDPLKR 180
Qу
        181 GVVSFVASNANAPMRNAFYDALNSIEPVTGGGSVKNTLGYNVKNKSEFLSQYKFNLCFEN 240
           Db
        181 GVVSFVASNANAPMRNAFYDALNSIEPVTGGGSVKNTLGYNVKNKSEFLSQYKFNLCFEN 240
        241 SQGYGYVTEKILDAYFSHTIPIYWGSPSVAKDFNPKEFVNVHDFNNFDEAIDYIKYLHTH 300
Qу
           Db
        241 SQGYGYVTEKILDAYFSHTIPIYWGSPSVAKDFNPKEFVNVHDFNNFDEAIDYIKYLHTH 300
        301 PNAYLDMLYENPLNALDGKAYFYQDLSFKKILAFFKTILENDTIYHKSSTSFMWECDLDE 360
Qу
           Db
        301 PNAYLDMLYENPLNALDGKAYFYQDLSFKKILAFFKTILENDTIYHKSSTSFMWECDLDE 360
        361 PLASIDDLRVNYDDLRVNYDDLRVNYDDLRVNYDDLRVNYERLLQNASPLLEL 420
Qу
           361 PLASIDDLRVNYDDLRVNYDDLRVNYDDLRVNYDDLRVNYERLLQNASPLLEL 420
Db
        421 SQNTSFKIYRKAYQKPIKNPYPYCAP 446
Qу
           Db
        421 SQNTSFKIYRKAYQKPIKNPYPYCAP 446
```

```
<!--StartFragment-->RESULT 15
ABU52257
ID
     ABU52257 standard; protein; 418 AA.
XX
AC
     ABU52257;
XX
     07-MAY-2003 (first entry)
DT
XX
     Helicobacter pylori selected interacting domain (SID) protein #1601.
DE
XX
     Protein-protein interaction; ulcer; selected interacting domain; SID.
KW
XX
    Helicobacter pylori.
OS
XX
     WO200266501-A2.
PN
XX
     29-AUG-2002.
PD
XX
PF
     28-DEC-2001; 2001WO-EP015428.
XX
PR
     02-JAN-2001; 2001US-0259302P.
XX
PΑ
     (HYBR-) HYBRIGENICS.
     (INSP ) INST PASTEUR.
PΑ
XX
PΙ
     Legrain P, Rain J, Colland F, De Reuse H, Labigne A;
XX
DR
     WPI; 2002-674910/72.
     N-PSDB; ABX67002.
DR
XX
PT
     New complexes of protein-protein interactions in Helicobacter pylori,
PT
     useful for identifying modulating compounds for treating or preventing
PT
     ulcers in mammals.
XX
PS
     Claim 6; Page 479; 642pp; English.
XX
CC
     The invention describes a complex of protein-protein interactions in
CC
     Helicobacter pylori selected from 421 complexes given in the
CC
     specification. The complex of protein-protein interactions are useful for
CC
     screening for agents which modulate the interaction of proteins.
     Modulating compounds which binds to a targeted bacterial protein may be
CC
     used for treating or preventing ulcers in a human or animal. This is the
CC
CC
     amino acid sequence of a selected interacting domain (SID), identified
CC
     via protein-protein interactions. Note: Where the patent number printed
CC
     at the top of the pages in the specification has obscured areas of
CC
    protein sequence, the indexer has replaced the residue with an X to
CC
     represent an illegible residue
XX
     Sequence 418 AA;
SQ
<!--EndFragment-->
```

Query Match 11.9%; Score 53; DB 5; Length 41 Best Local Similarity 100.0%; Pred. No. 1e-42; Matches 53; Conservative 0; Mismatches 0; 0; Indels 224 NKSEFLSQYKFNLCFENSQGYGYVTEKILDAYFSHTIPIYWGSPSVAKDFNPK 276 Qу Db 218 NKSEFLSQYKFNLCFENSQGYGYVTEKILDAYFSHTIPIYWGSPSVAKDFNPK 270

Search completed: August 11, 2006, 20:00:03 Job time : 118.313 secs